

Supplemental Table. Description of prompts included in this study.

	PWS Prompt Name	PWS Wording	PWS Prompt Triggered By:	Child Age Range
Randomized Prompts	<b>Advise to Brush Teeth (Older Children)</b>	Remind family that    firstname    should brush teeth twice daily, and that    firstname    should see a dentist every year. (Handout can be printed from CHICA) 1. Reminded child to brush BID 2. Advised no food before bed 3. Advise to see dentist 4. Gave dentist handout 5. Mouth/teeth healthy on exam 6. Abnl oral exam (see note)	This prompt is triggered by the child's age and appears on the PWS until the doctor has marked on the PWS that he/she has given the family advice on this topic.	5 years - 12 years
	<b>Advise to Brush Teeth (Younger Children)</b>	Remind family that parent should help    firstname    brush teeth twice daily, and that    firstname    should see a dentist every year. (Handout can be printed from CHICA) 1. Rec: parent help brush BID 2. Re: not eat/drink at bed 3. Advise to see dentist 4. Gave dentist handout 5. Mouth/teeth healthy on exam 6. Abnl oral exam (see note)	This prompt is triggered by the child's age and appears on the PWS until the doctor has marked on the PWS that he/she has given the family advice on this topic.	12 months - 5 years
	<b>Alcohol High Risk</b>	firstname    is at high risk for alcohol abuse, due to the following risk factors:    firstname       RF1       RF2       RF3       RF4    Counsel them appropriately, and please address the following: 1. Mild concern -> see #2 2. Give appropriate counseling 3. Moderate/high concern -> see #3	This prompt appears to the physician on the PWS if the parent/patient has indicated the following risk factor(s) on the PSF:     RF1    = "has engaged in a risky activity while drunk, "    RF2    = "has been drunk in the last month, "    RF3    = "has driven in a car with someone drunk, "	11 years - 21 years

	<ol style="list-style-type: none"> <li>4. Give crisis phone number</li> <li>5. No concerns for now</li> <li>6. [intentionally left blank]</li> </ol>	<p>   RF4    = "has a family member with a substance abuse problem, "</p>	
<b>Alcohol Low Risk</b>	<p>Although    firstname    has given no indication that    heshe    is at high risk for alcohol abuse, it is worth asking about the use of alcohol.    RF1   . Please ask about the following, and check the boxes if appropriate.</p> <ol style="list-style-type: none"> <li>1. Has been drunk in last month</li> <li>2. Has engaged in risky activity while drunk</li> <li>3. Been in car with drunk driver</li> <li>4. Family member has drinking problem</li> <li>5. No concerns at this time</li> <li>6. [intentionally left blank]</li> </ol>	<p>This prompt is triggered by the patient's age and appears to the physician on the PWS for any patient who is 11-21 years of age and who has not indicated on the PSF that he/she is at high risk for alcohol abuse.</p>	11 years - 21 years
<b>Drugs High Risk</b>	<p>   firstname    is at high risk for drug abuse, due to the following risk factors:    firstname       RF1       RF2       RF3    Counsel them appropriately, and please address the following:</p> <ol style="list-style-type: none"> <li>1. Mild concern -&gt; see #2</li> <li>2. Give appropriate counseling</li> <li>3. Moderate/high concern -&gt; see #3</li> <li>4. Give crisis phone number</li> <li>5. No concerns for now</li> <li>6. [intentionally left blank]</li> </ol>	<p>This prompt appears to the physician on the PWS if the parent/patient has indicated the following risk factor(s) on the PSF:</p> <p>   RF1    = " has admitted to using drugs, "     RF2    = " has abused OTC drugs, "     RF3    = "has friends with a substance abuse problem"</p>	11 years - 21 years
<b>Drugs Low Risk</b>	<p>Although    firstname    has given no indications of high risk for drug abuse, it is worth asking about the use of drugs.    RF1    Please ask about the following, and check the boxes if appropriate.</p> <ol style="list-style-type: none"> <li>1. Has used drugs in the last month</li> <li>2. Abuses OTC drugs</li> <li>3. Friend(s) abuse(s) drugs</li> <li>4. [intentionally left blank]</li> <li>5. No concerns at this time</li> <li>6. [intentionally left blank]</li> </ol>	<p>This prompt is triggered by the patient's age and appears to the physician on the PWS for any patient who is 11-21 years of age and who has not indicated on the PSF that he/she is at high risk for drug abuse.</p>	11 years - 21 years

	<p><b>Injury Burns from Fire 6m - 6y</b></p>	<p>The AAP has age-specific recommendations for the prevention of childhood burns and fires. Please review the following, and check those you review:</p> <ol style="list-style-type: none"> <li>1. Working smoke detector</li> <li>2. Store matches/lighters safely</li> <li>3. Test batteries monthly</li> <li>4. [intentionally left blank]</li> <li>5. Rec no smoking in house -&gt; see #6</li> <li>6. Smoking = #1 cause of fires</li> </ol>	<p>This prompt displays to the physician on the PWS if on the PSF the caregiver indicates that the child's home is not equipped with a smoke detector, they have not tested an existing smoke detector, anyone smokes in the house, or matches/lighters are not out of the child's reach.</p>	<p>6 months - 6 years</p>
	<p><b>Injury Burns from Fire 6y - 12y</b></p>	<p>The AAP has age-specific recommendations for the prevention of childhood burns and fires. Please review the following, and check those you review:</p> <ol style="list-style-type: none"> <li>1. Working smoke detector</li> <li>2. Store matches/lighters safely</li> <li>3. Test batteries monthly</li> <li>4. Teach child plan if alarm rings</li> <li>5. Rec no smoking in house</li> <li>6. Teach escape plan (&gt;= 2 exits)</li> </ol>	<p>This prompt displays to the physician on the PWS if on the PSF the caregiver indicates that the child's home is not equipped with a smoke detector, they have not tested an existing smoke detector, anyone smokes in the house, matches/lighters are not out of the child's reach, they do not know the escape plan for a fire, or they do not know what to do in the event of a fire.</p>	<p>6 years - 12 years</p>
<p><b>High-Priority Prompts</b></p>	<p><b>Household Abuse Concerns</b></p>	<p>   firstname   's parent expressed concern that    firstname    may be maltreated. If you suspect, reporting is mandatory.</p> <ol style="list-style-type: none"> <li>1. Suspect Abuse -&gt; see #2</li> <li>2. Report to CPS</li> <li>3. [intentionally left blank]</li> <li>4. Initiate workup</li> <li>5. Do not suspect abuse</li> <li>6. [intentionally left blank]</li> </ol>	<p>This prompt displays to the physician on the PWS if on the PSF the caregiver indicates that their partner has hurt or threatened their children.</p>	<p>0-13 years</p>
	<p><b>Adolescent Depression or Suicide Concerns</b></p>	<p>** ATTENTION **    firstname    is at risk for suicide or depression:    funT      happyT      sadT      suicideT      abuseT    . Explore symptoms and consequences. Identify social support. Ask about suicide.</p> <ol style="list-style-type: none"> <li>1. Not depressed</li> </ol>	<p>This prompt appears to the physician on the PWS if the parent/child has indicated the following risk factor(s) on the PSF (date is the date that this risk factor was indicated on the PSF by the parent/child):</p> <p>   funT    = "NO FUN IN PAST 2 WEEKS -    fun_date   , "</p>	<p>11 years - 21 years</p>

	<ol style="list-style-type: none"> <li>2. Mild dep -&gt; Support/counseling</li> <li>3. Moderate/severe depression -&gt; see #4</li> <li>4. Refer for psychiatric evaluation</li> <li>5. High risk for suicide -&gt; see #6</li> <li>6. Immediate hospital &amp; psych eval</li> </ol>	<pre>    happyT    = "NOT HAPPY IN GENERAL -    happy_date   , "    sadT    = "OFTEN FEELS SAD OR DOWN -    sad_date   , "    suicideT    = "SUICIDAL IDEATION OR ATTEMPT -    suicide_date   , "    abuseT    = "SOME FORM OF ABUSE -    abuse_date   , " </pre>	
<b>Adolescent Depression or Suicide Follow Up</b>	<p><b>** ATTENTION **</b>    firstname    has been diagnosed in the past with    mild     mod     suicide   . Please follow up and see how things are going.     firstname    now has:</p> <ol style="list-style-type: none"> <li>1. Not depressed</li> <li>2. Mild dep -&gt; Support/counseling</li> <li>3. Moderate/severe depression -&gt; see #4</li> <li>4. Refer for psychiatric evaluation</li> <li>5. High risk for suicide -&gt; see #6</li> <li>6. Immediate hospital &amp; psych eval</li> </ol>	<p>This prompt appears to the physician on the PWS if the patient has previously been diagnosed with depression or previously indicated suicide risk:</p> <pre>    mild    = "MILD DEPRESSION";    mod    = "MODERATE/SEVERE DEPRESSION";    suicide    = "RISK FOR SUICIDE" </pre>	11 years - 21 years

	<b>Domestic Violence Concerns</b>	<p>   firstname   's parent reported being abused or feeling unsafe on    Dom_Viol_date   . If you can speak confidentially and confirm risk of domestic violence, assess for child abuse and advise parent:</p> <ol style="list-style-type: none"><li>1. Dom Viol Network Phone Number</li><li>2. Pack \$ &amp; clothes for escape</li><li>3. Offer social services here</li><li>4. Don't suspect Dom viol</li><li>5. Suspect child abuse -&gt; Report</li><li>6. Can't speak confidentially</li></ol>	<p>This prompt displays to the physician on the PWS if on the PSF the caregiver indicates that their partner threatened to hurt them or their children or if they have indicated they do not feel safe at home or have been kicked, hit, or slapped.</p>	0 - 13 years
--	-----------------------------------	---	--	--------------